

```

500 - Unknown column 'sermons.custom1' in 'field list' SQL=SELECT sermons.id, sermons.sermon_title, sermons.catid, sermons.audiofile, sermons.videofile,
sermons.custom1, sermons.custom2, sermons.audiofilesize, sermons.videofsize, CASE WHEN CHAR_LENGTH(sermons.alias) THEN CONCAT_WS(':',
sermons.id, sermons.alias) ELSE sermons.id END as slug,sermons.picture, sermons.hits, sermons.notes, sermons.checked_out,
sermons.checked_out_time,sermons.sermon_date, sermons.alias, sermons.sermon_time,sermons.state, sermons.ordering,
sermons.podcast,sermons.sermon_number, sermons.addfile, sermons.addfileDesc,sermons.created,
sermons.created_by,GROUP_CONCAT(script.book,"|",script.cap1,"|",script.vers1,"|",script.cap2,"|",script.vers2,"|",script.text ORDER BY script.ordering ASC
SEPARATOR "|") AS scripture,speakers.name AS name, speakers.pic AS pic, speakers.state as speaker_state, CASE WHEN CHAR_LENGTH(speakers.alias)
THEN CONCAT_WS(':', speakers.id, speakers.alias) ELSE speakers.id END as speaker_slug,series.series_title AS series_title, series.state as series_state,
series.avatar, CASE WHEN CHAR_LENGTH(series.alias) THEN CONCAT_WS(':', series.id, series.alias) ELSE series.id END as series_slug,c_sermons.title AS
category_title,CASE WHEN CHAR_LENGTH(c_sermons.alias) THEN CONCAT_WS(':', c_sermons.id, c_sermons.alias) ELSE c_sermons.id END as
catslug,user.name AS author FROM `jml_sermon_sermons` AS sermons LEFT JOIN jml_sermon_scriptures AS script ON script.sermon_id = sermons.id LEFT
JOIN jml_sermon_speakers AS speakers ON speakers.id = sermons.speaker_id LEFT JOIN jml_sermon_series AS series ON series.id = sermons.series_id
LEFT JOIN jml_categories AS c_sermons ON c_sermons.id = sermons.catid LEFT JOIN jml_categories AS c_speaker ON c_speaker.id = speakers.catid LEFT
JOIN jml_categories AS c_series ON c_series.id = series.catid LEFT JOIN jml_users AS user ON user.id = sermons.created_by WHERE (sermons.catid = 0 OR
(c_sermons.access IN (1,1) AND c_sermons.published = 1)) AND (sermons.speaker_id = 0 OR speakers.catid = 0 OR (c_speaker.access IN (1,1) AND
c_speaker.published = 1)) AND (sermons.series_id = 0 OR series.catid = 0 OR (c_series.access IN (1,1) AND c_series.published = 1)) AND sermons.catid = 89
AND sermons.state = 1 AND sermons.state != -2 GROUP BY sermons.id ORDER BY sermon_date ASC Unknown column 'sermons.custom1' in 'field list'
SQL=SELECT sermons.id, sermons.sermon_title, sermons.catid, sermons.audiofile, sermons.videofile, sermons.custom1, sermons.custom2,
sermons.audiofilesize, sermons.videofsize, CASE WHEN CHAR_LENGTH(sermons.alias) THEN CONCAT_WS(':', sermons.id, sermons.alias) ELSE sermons.id
END as slug,sermons.picture, sermons.hits, sermons.notes, sermons.checked_out, sermons.checked_out_time,sermons.sermon_date, sermons.alias,
sermons.sermon_time,sermons.state, sermons.ordering, sermons.podcast,sermons.sermon_number, sermons.addfile,
sermons.addfileDesc,sermons.created,
sermons.created_by,GROUP_CONCAT(script.book,"|",script.cap1,"|",script.vers1,"|",script.cap2,"|",script.vers2,"|",script.text ORDER BY script.ordering ASC
SEPARATOR "|") AS scripture,speakers.name AS name, speakers.pic AS pic, speakers.state as speaker_state, CASE WHEN CHAR_LENGTH(speakers.alias)
THEN CONCAT_WS(':', speakers.id, speakers.alias) ELSE speakers.id END as speaker_slug,series.series_title AS series_title, series.state as series_state,
series.avatar, CASE WHEN CHAR_LENGTH(series.alias) THEN CONCAT_WS(':', series.id, series.alias) ELSE series.id END as series_slug,c_sermons.title AS
category_title,CASE WHEN CHAR_LENGTH(c_sermons.alias) THEN CONCAT_WS(':', c_sermons.id, c_sermons.alias) ELSE c_sermons.id END as
catslug,user.name AS author FROM `jml_sermon_sermons` AS sermons LEFT JOIN jml_sermon_scriptures AS script ON script.sermon_id = sermons.id LEFT
JOIN jml_sermon_speakers AS speakers ON speakers.id = sermons.speaker_id LEFT JOIN jml_sermon_series AS series ON series.id = sermons.series_id
LEFT JOIN jml_categories AS c_sermons ON c_sermons.id = sermons.catid LEFT JOIN jml_categories AS c_speaker ON c_speaker.id = speakers.catid LEFT
JOIN jml_categories AS c_series ON c_series.id = series.catid LEFT JOIN jml_users AS user ON user.id = sermons.created_by WHERE (sermons.catid = 0 OR
(c_sermons.access IN (1,1) AND c_sermons.published = 1)) AND (sermons.speaker_id = 0 OR speakers.catid = 0 OR (c_speaker.access IN (1,1) AND
c_speaker.published = 1)) AND (sermons.series_id = 0 OR series.catid = 0 OR (c_series.access IN (1,1) AND c_series.published = 1)) AND sermons.catid = 89
AND sermons.state = 1 AND sermons.state != -2 GROUP BY sermons.id ORDER BY sermon_date ASC LIMIT 0, 20 Unknown column 'sermons.custom1' in 'field
list' SQL=SELECT sermons.id, sermons.sermon_title, sermons.catid, sermons.audiofile, sermons.videofile, sermons.custom1, sermons.custom2,
sermons.audiofilesize, sermons.videofsize, CASE WHEN CHAR_LENGTH(sermons.alias) THEN CONCAT_WS(':', sermons.id, sermons.alias) ELSE sermons.id
END as slug,sermons.picture, sermons.hits, sermons.notes, sermons.checked_out, sermons.checked_out_time,sermons.sermon_date, sermons.alias,
sermons.sermon_time,sermons.state, sermons.ordering, sermons.podcast,sermons.sermon_number, sermons.addfile,
sermons.addfileDesc,sermons.created,
sermons.created_by,GROUP_CONCAT(script.book,"|",script.cap1,"|",script.vers1,"|",script.cap2,"|",script.vers2,"|",script.text ORDER BY script.ordering ASC
SEPARATOR "|") AS scripture,speakers.name AS name, speakers.pic AS pic, speakers.state as speaker_state, CASE WHEN CHAR_LENGTH(speakers.alias)
THEN CONCAT_WS(':', speakers.id, speakers.alias) ELSE speakers.id END as speaker_slug,series.series_title AS series_title, series.state as series_state,
series.avatar, CASE WHEN CHAR_LENGTH(series.alias) THEN CONCAT_WS(':', series.id, series.alias) ELSE series.id END as series_slug,c_sermons.title AS
category_title,CASE WHEN CHAR_LENGTH(c_sermons.alias) THEN CONCAT_WS(':', c_sermons.id, c_sermons.alias) ELSE c_sermons.id END as
catslug,user.name AS author FROM `jml_sermon_sermons` AS sermons LEFT JOIN jml_sermon_scriptures AS script ON script.sermon_id = sermons.id LEFT
JOIN jml_sermon_speakers AS speakers ON speakers.id = sermons.speaker_id LEFT JOIN jml_sermon_series AS series ON series.id = sermons.series_id
LEFT JOIN jml_categories AS c_sermons ON c_sermons.id = sermons.catid LEFT JOIN jml_categories AS c_speaker ON c_speaker.id = speakers.catid LEFT
JOIN jml_categories AS c_series ON c_series.id = series.catid LEFT JOIN jml_users AS user ON user.id = sermons.created_by WHERE (sermons.catid = 0 OR
(c_sermons.access IN (1,1) AND c_sermons.published = 1)) AND (sermons.speaker_id = 0 OR speakers.catid = 0 OR (c_speaker.access IN (1,1) AND
c_speaker.published = 1)) AND (sermons.series_id = 0 OR series.catid = 0 OR (c_series.access IN (1,1) AND c_series.published = 1)) AND sermons.catid = 89
AND sermons.state = 1 AND sermons.state != -2 GROUP BY sermons.id ORDER BY sermon_date ASC

```

You may not be able to visit this page because of:

1. an **out-of-date bookmark/favourite**
2. a search engine that has an **out-of-date listing for this site**
3. a **mistyped address**
4. you have **no access** to this page
5. The requested resource was not found.
6. An error has occurred while processing your request.

Please try one of the following pages:

- [Home Page](#)

If difficulties persist, please contact the System Administrator of this site and report the error below..

```

Unknown column 'sermons.custom1' in 'field list' SQL=SELECT sermons.id, sermons.sermon_title, sermons.catid, sermons.audiofile, sermons.videofile, sermons.custom1,
sermons.custom2, sermons.audiofilesize, sermons.videofilesize, CASE WHEN CHAR_LENGTH(sermons.alias) THEN CONCAT_WS(':', sermons.id, sermons.alias) ELSE
sermons.id END as slug,sermons.picture, sermons.hits, sermons.notes, sermons.checked_out, sermons.checked_out_time,sermons.sermon_date, sermons.alias,
sermons.sermon_time,sermons.state, sermons.ordering, sermons.podcast,sermons.sermon_number, sermons.addfile, sermons.addfileDesc,sermons.created,
sermons.created_by,GROUP_CONCAT(script.book,"|",script.cap1,"|",script.vers1,"|",script.cap2,"|",script.vers2,"|",script.text ORDER BY script.ordering ASC SEPARATOR "")
AS scripture,speakers.name AS name, speakers.pic AS pic, speakers.state as speaker_state, CASE WHEN CHAR_LENGTH(speakers.alias) THEN CONCAT_WS(':',
speakers.id, speakers.alias) ELSE speakers.id END as speaker_slug,series.series_title AS series_title, series.state as series_state, series.avatar, CASE WHEN
CHAR_LENGTH(series.alias) THEN CONCAT_WS(':', series.id, series.alias) ELSE series.id END as series_slug,c_sermons.title AS category_title,CASE WHEN
CHAR_LENGTH(c_sermons.alias) THEN CONCAT_WS(':', c_sermons.id, c_sermons.alias) ELSE c_sermons.id END as catslug,user.name AS author FROM
`jml_sermon_sermons` AS sermons LEFT JOIN jml_sermon_scriptures AS script ON script.sermon_id = sermons.id LEFT JOIN jml_sermon_speakers AS speakers ON
speakers.id = sermons.speaker_id LEFT JOIN jml_sermon_series AS series ON series.id = sermons.series_id LEFT JOIN jml_categories AS c_sermons ON c_sermons.id =
sermons.catid LEFT JOIN jml_categories AS c_speaker ON c_speaker.id = speakers.catid LEFT JOIN jml_categories AS c_series ON c_series.id = series.catid LEFT JOIN
jml_users AS user ON user.id = sermons.created_by WHERE (sermons.catid = 0 OR (c_sermons.access IN (1,1) AND c_sermons.published = 1)) AND (sermons.speaker_id
= 0 OR speakers.catid = 0 OR (c_speaker.access IN (1,1) AND c_speaker.published = 1)) AND (sermons.series_id = 0 OR series.catid = 0 OR (c_series.access IN (1,1) AND
c_series.published = 1)) AND sermons.catid = 89 AND sermons.state = 1 AND sermons.state != -2 GROUP BY sermons.id ORDER BY sermon_date ASC Unknown column
'sermons.custom1' in 'field list' SQL=SELECT sermons.id, sermons.sermon_title, sermons.catid, sermons.audiofile, sermons.videofile, sermons.custom1, sermons.custom2,
sermons.audiofilesize, sermons.videofilesize, CASE WHEN CHAR_LENGTH(sermons.alias) THEN CONCAT_WS(':', sermons.id, sermons.alias) ELSE sermons.id END as
slug,sermons.picture, sermons.hits, sermons.notes, sermons.checked_out, sermons.checked_out_time,sermons.sermon_date, sermons.alias,
sermons.sermon_time,sermons.state, sermons.ordering, sermons.podcast,sermons.sermon_number, sermons.addfile, sermons.addfileDesc,sermons.created,
sermons.created_by,GROUP_CONCAT(script.book,"|",script.cap1,"|",script.vers1,"|",script.cap2,"|",script.vers2,"|",script.text ORDER BY script.ordering ASC SEPARA TOR "")
AS scripture,speakers.name AS name, speakers.pic AS pic, speakers.state as speaker_state, CASE WHEN CHAR_LENGTH(speakers.alias) THEN CONCAT_WS(':',
speakers.id, speakers.alias) ELSE speakers.id END as speaker_slug,series.series_title AS series_title, series.state as series_state, series.avatar, CASE WHEN
CHAR_LENGTH(series.alias) THEN CONCAT_WS(':', series.id, series.alias) ELSE series.id END as series_slug,c_sermons.title AS category_title,CASE WHEN
CHAR_LENGTH(c_sermons.alias) THEN CONCAT_WS(':', c_sermons.id, c_sermons.alias) ELSE c_sermons.id END as catslug,user.name AS author FROM
`jml_sermon_sermons` AS sermons LEFT JOIN jml_sermon_scriptures AS script ON script.sermon_id = sermons.id LEFT JOIN jml_sermon_speakers AS speakers ON
speakers.id = sermons.speaker_id LEFT JOIN jml_sermon_series AS series ON series.id = sermons.series_id LEFT JOIN jml_categories AS c_sermons ON c_sermons.id =
sermons.catid LEFT JOIN jml_categories AS c_speaker ON c_speaker.id = speakers.catid LEFT JOIN jml_categories AS c_series ON c_series.id = series.catid LEFT JOIN
jml_users AS user ON user.id = sermons.created_by WHERE (sermons.catid = 0 OR (c_sermons.access IN (1,1) AND c_sermons.published = 1)) AND (sermons.speaker_id
= 0 OR speakers.catid = 0 OR (c_speaker.access IN (1,1) AND c_speaker.published = 1)) AND (sermons.series_id = 0 OR series.catid = 0 OR (c_series.access IN (1,1) AND
c_series.published = 1)) AND sermons.catid = 89 AND sermons.state = 1 AND sermons.state != -2 GROUP BY sermons.id ORDER BY sermon_date ASC LIMIT 0, 20 Unknown
column 'sermons.custom1' in 'field list' SQL=SELECT sermons.id, sermons.sermon_title, sermons.catid, sermons.audiofile, sermons.videofile, sermons.custom1,
sermons.custom2, sermons.audiofilesize, sermons.videofilesize, CASE WHEN CHAR_LENGTH(sermons.alias) THEN CONCAT_WS(':', sermons.id, sermons.alias) ELSE
sermons.id END as slug,sermons.picture, sermons.hits, sermons.notes, sermons.checked_out, sermons.checked_out_time,sermons.sermon_date, sermons.alias,
sermons.sermon_time,sermons.state, sermons.ordering, sermons.podcast,sermons.sermon_number, sermons.addfile, sermons.addfileDesc,sermons.created,
sermons.created_by,GROUP_CONCAT(script.book,"|",script.cap1,"|",script.vers1,"|",script.cap2,"|",script.vers2,"|",script.text ORDER BY script.ordering ASC SEPARATOR "")
AS scripture,speakers.name AS name, speakers.pic AS pic, speakers.state as speaker_state, CASE WHEN CHAR_LENGTH(speakers.alias) THEN CONCAT_WS(':',
speakers.id, speakers.alias) ELSE speakers.id END as speaker_slug,series.series_title AS series_title, series.state as series_state, series.avatar, CASE WHEN
CHAR_LENGTH(series.alias) THEN CONCAT_WS(':', series.id, series.alias) ELSE series.id END as series_slug,c_sermons.title AS category_title,CASE WHEN
CHAR_LENGTH(c_sermons.alias) THEN CONCAT_WS(':', c_sermons.id, c_sermons.alias) ELSE c_sermons.id END as catslug,user.name AS author FROM
`jml_sermon_sermons` AS sermons LEFT JOIN jml_sermon_scriptures AS script ON script.sermon_id = sermons.id LEFT JOIN jml_sermon_speakers AS speakers ON
speakers.id = sermons.speaker_id LEFT JOIN jml_sermon_series AS series ON series.id = sermons.series_id LEFT JOIN jml_categories AS c_sermons ON c_sermons.id =
sermons.catid LEFT JOIN jml_categories AS c_speaker ON c_speaker.id = speakers.catid LEFT JOIN jml_categories AS c_series ON c_series.id = series.catid LEFT JOIN
jml_users AS user ON user.id = sermons.created_by WHERE (sermons.catid = 0 OR (c_sermons.access IN (1,1) AND c_sermons.published = 1)) AND (sermons.speaker_id
= 0 OR speakers.catid = 0 OR (c_speaker.access IN (1,1) AND c_speaker.published = 1)) AND (sermons.series_id = 0 OR series.catid = 0 OR (c_series.access IN (1,1) AND
c_series.published = 1)) AND sermons.catid = 89 AND sermons.state = 1 AND sermons.state != -2 GROUP BY sermons.id ORDER BY sermon_date ASC

```